

Web Development

Produced
by

Eamonn de Leastar (edelestar@wit.ie)

Department of Computing, Maths & Physics
Waterford Institute of Technology

<http://www.wit.ie>

<http://elearning.wit.ie>



Waterford Institute of Technology
INSTITIÚID TEICNEOLAÍOCHTA FHORT LÁIRGE



Assignment 2

Specification & Grading Guidelines

Assignment 2 Specification

- 12 Spacebook 'Stories'
- Deadline 17th May, 11:00 pm

Story 1

- Lab 09 introduced a 'data.yml' file in the conf directory containing initial user data loaded at startup
- Extend this data to include the full homer clan (and friends). Note, the number of spaces (4) before each field is significant.

```
User(homer):  
  firstName: Homer  
  lastName: Simpson  
  email: homer@simpson.com  
  password: secret
```

```
User(marge):  
  firstName: marge  
  lastName: Simpson  
  email: marge@simpson.com  
  password: secret
```

Story 2

- Extend the User Model to include the following new fields:
 - Age
 - Nationality
- These fields must be filled in when a user registers.

Story 3

- For the new fields accepted in Story 2, display them on the users Home Profile page.
- In addition, on the users 'Public' profile (then one a friend can see), display just the 'Nationality' field

Story 4

- Provide a way for a user, once logged in, to change some of their profile information. You could take two approaches to this:
 - Provide some extra fields on the home profile which could all be changed when the 'changeText' button is pressed.
 - Provide a link on the home profile - say 'edit details' - which takes you to a new page where you can edit the details.

Story 5

- The Members page now shows a list of all members - including the currently logged in member. This clearly makes no sense and we should try to remove the current member from the list.
- HINT: This is the Members controller index method:

```
public static void index()
{
    List<User> users = User.findAll();
    render(users);
}
```

- The challenge is to remove the current user from the users list before we send it to the view. Objects can be deleted from a list using the remove method:

```
user.remove(someUser);
```

Story 6

- In the members page - show each users name + their current status message.

Story 7

- If a user attempts to use a url (say <http://localhost:9000/home>) without being logged in, then the app immediately display the start screen..

Story 8

- Turn the list of messages on the home page into a table - with two columns. One column for the message text, one for the senders name

Story 9

- In the messages table on the home page (story 8), make the senders name into a link to the senders profile. In this way users can easily navigate from a message directly to the sender, and perhaps leave a message.

Story 10


- Change the Message structure such that it will have a 'Subject' field. Make appropriate changes in the UI to support this new field

Story 11

- Deploy the application to heroku.com

Story 12

- Show a small version of the users picture in the friends and messages lists on the users home page.



Except where otherwise noted, this content is licensed under a Creative Commons Attribution-NonCommercial 3.0 License.

For more information, please see <http://creativecommons.org/licenses/by-nc/3.0/>

